


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEDERAL - STATE - PRIVATE
COOPERATIVE
**SNOW SURVEY and WATER SUPPLY FORECASTS
for
ARIZONA**

UNITED STATES DEPARTMENT of AGRICULTURE--SOIL CONSERVATION SERVICE,
SALT RIVER VALLEY WATER USERS ASSOCIATION
and
ARIZONA AGRICULTURAL EXPERIMENT STATION

Data included in this report were obtained by the agencies
named above in cooperation with the Federal, State and pri-
vate organizations listed on the last page of this report.

AS OF
MAR. 15, 1961

UNITED STATES DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

To Recipients of Cooperative Snow Survey and Water Supply Forecast Reports:

The climate of the cultivated and populated areas of the West is characterized by relatively dry summer months. Such precipitation as occurs falls mostly in the winter and early spring months when it is of little immediate benefit to growing crops. Fortunately, most of this precipitation falls as mountain snow which stays on the ground for months, melting later to sustain streamflow during the period of greatest demand during late spring and summer. Thus, nature provides in mountain snow an imposing water storage facility.

The amount of water stored in mountain snow varies from place to place as well as from year to year and accordingly, so does the runoff of the streams. The best seasonal management of variable western water supplies results from fore-knowledge of the runoff.

A snow survey consists of a series of about ten samples taken with specially designed snow sampling equipment along a permanently marked line, about 1000 feet in length, called a snow course. The use of snow sampling equipment provides snow depth and water equivalent values for each sampling point. The average of these values is reported as the snow survey measurement for a snow course.

Snow surveys are made monthly or semi-monthly beginning in January or February and continue through the snow season until April, May or June. Currently more than 1400 western snow courses are measured each year. These measurements furnish the key data for water supply forecasts.

By relating snow survey measurements taken over a period of years to spring-summer runoff during the same period, relationships have been developed which make it possible to forecast seasonal runoff several months in advance of occurrence. In order to make a forecast, once a forecast relationship has been developed, the maximum snow water content at previously selected key snow courses is usually entered in the forecast relationship. More accurate forecasts are often obtained when other factors such as soil moisture, base flow and spring precipitation are considered and included in the forecast relationships.

Listed below are the Federal-State-Private Cooperative Snow Survey and Water Supply Forecast reports available for the West which contain detailed information on snow survey measurements, streamflow forecasts, reservoir storage, soil moisture and other guide data to water management and conservation decisions.

PUBLISHED BY SOIL CONSERVATION SERVICE

<u>REPORTS</u>	<u>ISSUED</u>	<u>LOCATION</u>	<u>COOPERATING WITH</u>
RIVER BASINS			
COLORADO AND STATE OF UTAH	MONTHLY (JAN.-MAY)	SALT LAKE CITY, UTAH	UTAH STATE ENGINEER AND OTHER AGENCIES
COLUMBIA	MONTHLY (JAN.-MAY)	BOISE, IDAHO	IDAHO STATE RECLAMATION ENGINEER
UPPER MISSOURI AND STATE OF MONTANA	MDNTHLY (FEB.-MAY)	BOZEMAN, MONTANA	MONT. AGR. EXP. STATION
WEST-WIDE	OCT. 1, APR. 1, MAY 1	PORTLAND, OREGON	ALL COOPERATORS
STATES			
ALASKA	MDNTHLY (MAR.-MAY)	PALMER, ALASKA	ALASKA S.C.D.
ARIZONA	SEMI-MONTHLY (JAN. 15 - APR. 1)	PHOENIX, ARIZONA	SALT R. VALLEY WATER USERS ASSOC. ARIZ. AGR. EXP. STATION
COLORADO AND NEW MEXICO	MONTHLY (FEB.-MAY)	FORT COLLINS, COLORADO	COLO. AGR. EXP. STATION COLO. STATE ENGINEER N. MEX. STATE ENGINEER
IDAHO	MONTHLY (FEB.-MAY)	BOISE, IDAHO	IDAHO STATE RECLAMATION ENGINEER
NEVADA	MONTHLY (FEB.-APR.)	RENO, NEVADA	NEVADA DEPT. OF CONSERVATION AND NATURAL RESOURCES - DIVISION OF WATER RESOURCES
OREGON	MDNTHLY (JAN.-MAY)	PORTLAND, OREGON	ORE. AGR. EXP. STATION OREGON STATE ENGINEER
WASHINGTON	MONTHLY (FEB.-MAY)	SPOKANE, WASHINGTON	WN. STATE DEPT. OF CONSERVATION
WYOMING	MONTHLY (FEB.-JUNE)	CASPER, WYOMING	WYOMING STATE ENGINEER

Copies of these various reports may be secured from: Head, Water Supply Forecasting Section
Soil Conservation Service
209 S. W. Fifth Ave., Portland 4, Oregon

PUBLISHED BY OTHER AGENCIES

<u>REPORTS</u>	<u>ISSUED</u>	<u>AGENCY</u>
BRITISH COLUMBIA	MONTHLY (FEB.-JUNE)	COMPTROLLER, WATER RIGHTS BR., DEPT. OF LANDS AND FORESTS, PARLIAMENT BLDG., VICTORIA, B.C., CANADA
CALIFORNIA	MDNTHLY (FEB.-MAY)	CALIF. DEPT. OF WATER RESOURCES, SACRAMENTO, CALIF.

FEDERAL - STATE - PRIVATE
COOPERATIVE

SNOW SURVEY and WATER SUPPLY FORECASTS
for
ARIZONA

(Salt, Verde, Gila and Part of Lower Colorado River Basin)

Report prepared by

Richard W. Enz, Snow Survey Supervisor
SOIL CONSERVATION SERVICE
POST OFFICE BOX 929
PHOENIX, ARIZONA

Issued by

ROBERT V. BOYLE
STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE

VICTOR I. CORBELL
PRESIDENT
SALT RIVER VALLEY WATER USERS ASSOCIATION





ARIZONA COOPERATIVE SNOW SURVEYS Snow Courses and Sub-Watersheds

JANUARY 1961

25 0 25 50 75
SCALE IN MILES

INDEX to SNOW COURSES and SOIL MOISTURE STATIONS

NUMBER	NAME	SEC	TWP	RGE ***	ELEVATION	RIVER BASIN
11P3	Antelope Park	29	19N	8E	7300	Verde..... Discontinued
9S1	Baldy (p)	28	7N	27E	9125	Salt-Little Colorado
10T1	Bear Wallow	6	12S	16E	8100	Gila
9S6	Beaver Head	13	4N	30E	8000	Salt-Frisco
9S3	Big Lake Knoll	2	5N	28E	8800	Salt-Frisco-Little Colorado-- Discontinued
7S3	Black Canyon	8	13S	11W****	6790	Gila..... Discontinued
9S10-*	Black River Divide	11	6N	27E	9100	Salt-Little Colorado
12N1	Bright Angel	34	33N	3E	8400	Lower Colorado
12R1	Camp Wood	3	16N	6W	5700	Williams-Verde
10R3-M	Canyon Creek	18	11N	15E	7500	Salt-Little Colorado--Replaced by 10R7-M
10R7-M	Canyon Creek #2	18	11N	15E	7500	Salt-Little Colorado
11R2-M	Casner Park	19	18N	8E	6930	Verde
12P1-M	Chalender	27	22N	3E	7100	Verde
10R8-*	Corduroy Creek	Lat. $34^{\circ}07'N.$ Long. $110^{\circ}08'W.$		§	6000	Salt
9S9	Corn Creek (p)	Lat. $33^{\circ}45'N.$ Long. $109^{\circ}45'W.$		§	7730	Salt..... Not Read
8S3	Corner Mountain	7	10S	17W****	8850	Gila-Frisco..... Not Read
9S7	Coronado Trail	26	5N	30E	8000	Salt-Frisco
10R2	Elk	31	11N	14E	7600	Salt-Little Colorado... Discontinued
10R6	Forest Dale	2	9N	21E	6430	Salt-Little Colorado
11P2	Fort Valley	22	22N	6E	7350	Verde-Little Colorado
9R5	Ft. Apache	18	7N	27E	9160	Salt-Little Colorado
8S1-M	Frisco Divide	31	6S	20W****	8000	Frisco-Gila
12R4	Gaddes Canyon	11	15N	2E	7600	Verde-Agua Fria
10R5	Gentry	36	11N	15E	7600	Salt
11P1	Grand Canyon	21	30N	4E	7500	Lower Colorado
11R5	Happy Jack	30	17N	9E	7630	Verde
10R4	Heber (p)	28	11N	15E	7600	Salt-Little Colorado
7S2	Inman	6	11S	10W****	7800	Gila
12R2	Iron Springs	22	14N	3W	6200	Williams-Verde
9S2	Maverick Fork (p)	13	6N	27E	9050	Salt
9R4	McKay Peak	13	7N	24E	8250	Salt..... Not Read
9R2-M	McNary	14	8N	23E	7200	Salt-Little Colorado
9R1	Milk Ranch	28	8N	23E	7000	Salt
12R3	Mingus Mountain	3	15N	2E	7100	Verde-Agua Fria
8S2	Mogollon	2	11S	19W****	7000	Frisco-Gila
11R4	Mormon Lake	13	18N	8E	7350	Verde-Little Colorado
11R3-M	Mormon Mountain	14	18N	8E	7500	Verde
11R1-M	Munds Park	7	18N	7E	6500	Verde
8S4	N-Bar Lake	16	10S	17W****	8600	Gila..... Not Read
8S5	Negrito	6	10S	16W****	8200	Gila..... Not Read
9S4	Nutrioso	23	6N	30E	8500	Salt-Frisco-Little Colorado
9S5	Pacheta	At Town of Maverick, Ariz.		§	7800	Salt
9N1	Roof Butte	15	8N	6W*****	8500	Little Colorado... Not Read
10T2	Rose Canyon	15	12S	16E	7300	Gila
9S8	State Line	6	6S	21W****	8000	Gila-Frisco
7S1	Taylor Creek	20	10S	10W****	7850	Gila
9R3	Trout Creek	5	7N	24E	6400	Salt..... Not Read
8N1	Washington Pass	Lat. $36^{\circ}05'N.$ Long. $108^{\circ}50'W.$		§	8600	Little Colorado--Not Read
13P1	Willow Ranch	16	21N	11W	5000	Williams
10R1	Woods Canyon	15	11N	13E	7640	Salt-Little Colorado--- Discontinued
10S1	Workman Creek	33	6N	14E	6900	Salt

* SOIL MOISTURE STATION ONLY

** NUMBER INDICATES LOCATION OF SNOW COURSE WITHIN COORDINATE RECTANGLE,
THUS 9N1 IS COURSE #1 IN COORDINATE RECTANGLE 9N.

*** ALL IN GILA AND SALT RIVER BASE AND MERIDIAN EXCEPT WHERE OTHERWISE
INDICATED.

**** NEW MEXICO PRINCIPAL MERIDIAN

***** NAVAJO BASE

M SOIL MOISTURE STATION INSTALLED ON OR IN VICINITY OF SNOW COURSE.

§ UNSURVEYED

(p) STORAGE GAGE INSTALLED ON OR IN VICINITY OF SNOW COURSE.

ARIZONA WATER SUPPLY OUTLOOK

March 15, 1961

*
* Runoff forecasts are very low, ranging *
* from 21-45% of average. Storage is *
* good on the Salt River Project, but *
* very poor on the San Carlos. *
* *

SNOW COVER: A light snow storm on March 4th & 5th increased the snow pack slightly. Most of this snow is now gone except at higher elevations. The snow pack is 70% of normal on the Salt River Watershed, 44% on the Upper Gila and 30% on the Verde. Near normal snow exists in the Baldy area of the White Mountains, where very little melting has occurred.

RESERVOIR STORAGE: There was a decline in reservoir storage of 13,000 acre feet since March 1st in the eight major reservoirs serving Central Arizona. Normally there is an increase of 24,000 acre feet during this period. The Central Arizona Reservoirs are now 36% of capacity and 12% of average. The Salt River Project reservoirs are 59% of capacity and 147% of average. Lake Pleasant and Lyman Reservoir are near normal. San Carlos and Show Low Lake are virtually empty.


SOIL MOISTURE: Surface soil moisture improved some the last 15 days, especially at higher elevations. The soil will still require considerable recharging, however before much runoff can result.

PRECIPITATION: During the month of February, precipitation at the thirteen selected stations in Arizona was only 10% of the long time mean, according to data furnished by Paul C. Kangieser of the U. S. Weather Bureau.

STREAM FLOW AND WATER SUPPLY: In spite of the recent storm and high daytime temperatures, stream flow has increased only slightly. Stream flow on the Verde River and Tonto Creek of 11,330 and 623 acre feet respectively for the month of February was the lowest in 30 years of record.

The stream flow forecasts for the March through May period have all been substantially reduced. The Little Colorado, Tonto and Verde Watersheds are expected to produce only 21%, 24% and 30% of the average runoff for this period. The Gila, Salt and San Francisco Rivers are a little better off with an expected runoff of 38%, 40% and 45% of average.

There will be adequate water for irrigation in most sections of Arizona, with the exception of the San Carlos Project. One half an acre foot has been allotted to the 100,000 acres of land in the San Carlos Irrigation and Drainage District according to Norris M. Soma, Superintendent of Works. Farmers are advised to plant 1/8-1/10 of their acreage unless they have private wells. Farmers are urged to contact their local Soil Conservation Service Technicians on how to get the most out of .. their low water supply.




STREAM FLOW FORECASTS - MARCH 15, 1961

The following summarized runoff forecasts are based principally on mountain snow cover and on the assumption that precipitation and temperature will be near average from the present time to the end of the forecast period. Appreciable deviations from normal of temperature and/or precipitation will correspondingly modify these forecasts.

SUB-WATERSHED, STREAM and STATION	SEASONAL STREAM FLOW IN THOUSANDS OF ACRE FEET					
	FORECAST PERIOD		MARCH - MAY INCLUSIVE			
	Forecast Runoff 1961	Percent 15-Year Average	Measured Runoff 1960	1959	1958	1943-57 Average
Salt River at Intake	80	40	322.2	36.3	538.0	200.4
Tonto River above Roosevelt	6	24	42.0	3.3	68.3	25.0
Verde River above Horseshoe	38	30	139.3	38.6	245.2	124.9
Gila River at Virden	10.5	38	58.7	7.0	145.7	27.6
Frisco River at Clifton	11.5	45	59.2	7.4	185.0	25.3
Little Colorado River above Lyman Dam*	1.2	21	13.5	0.7	22.6	5.6


*Forecast period for Little Colorado River above Lyman Dam is for March-June, inclusive.



STATUS OF ARIZONA RESERVOIR STORAGE - ABOUT MARCH 15, 1961

SUB-WATERSHED and/or STREAM	RESERVOIR	USABLE CAPACITY 1000s AC. FT.	USABLE STORAGE - 1000s ACRE FEET			15-Year Average 1943-57
			1961	1960	1959	
<u>GILA RIVER SUB-WATERSHED</u>						
Agua Fria	Lake Pleasant	163.8	26.7	49.6	18.4	27.3
Gila	San Carlos	1,205.0	0.4	217.9	99.8	108.0
Verde	Bartlett	180.0	39.2	150.3	89.3	67.3
Verde	Horseshoe	143.0	9.4	109.1	36.8	20.5*
Salt	Roosevelt	1,381.6	822.0	919.3	437.8	450.4
Salt	Apache	245.1	242.0	237.6	240.4	207.3
Salt	Canyon	57.9	49.8	57.3	51.4	44.3
Salt	Saguaro	69.8	65.2	68.0	62.6	44.5
<u>LOWER COLORADO RIVER SUB-WATERSHED</u>						
Colorado	Lake Havasu	619.4	540.0	547.6	542.3	566.1
Colorado	Lake Mohave	1,810.0	1,690.5	1,711.0	1,721.0	1,486.2*
Colorado	Lake Mead	27,207.0	18,551.0	19,056.0	21,005.0	16,686.0
Little Colorado	Lyman	30.6	6.8	11.5	18.7	6.4
Little Colorado	Show Low Lake	5.1	0.3	5.1	0.1	---

*Average is for less than 15 years of record in the 1943-57 period.



WATER INVENTORY

SALT RIVER VALLEY SYSTEM

March 15, 1961

3,000,000


2,500,000

2,000,000

Acre Feet

AVERAGE SUPPLY

on
MARCH 15



ANTICIPATED 1961 SUPPLY*



Average Summer
Runoff
Forecasted Runoff
(March-May)

Present Storage


1,500,000

1,000,000

500,000


0

*Based on Present Storage +
Forecasted Spring Runoff +
Average Summer Runoff



RELATIVE SNOW WATER ACCUMULATION in ARIZONA

MARCH 15, 1961




This graph represents the average snow water content on eleven selected snow courses on Arizona Sub-Watersheds.

ARIZONA SNOW SURVEYS - ABOUT MARCH 15, 1961

SUB-WATERSHED and SNOW COURSE	No.	Elev.	Date of Survey	SNOW COVER MEASURMENTS				PAST RECORD	
				1961	Snow Depth (In.)	Water Content (In.)	Water Content (In.)	1943-57	Prior Yrs. of Record
<u>GILA RIVER</u>									
Redstone Trail	8S7	8600	3/13	19	5.4	---	---	---	0
Nutrioso	9S4	8500	3/14	2	0.6	0.7	0.0	1.2	20
Bear Wallow	10T1	8100	3/15	2	0.7	5.7	T	1.8**	13
Frisco Divide	8S1-M	8000	3/14	1	0.6	1.5	0.0	1.2	23
Ice King	8S6	8000	3/13	18	4.1	---	---	---	0
State Line	9S8	8000	3/14	0	0.0	1.0	0.0	1.4	21
Coronado Trail	9S7	8000	3/14	1	0.3	1.3	0.0	1.9	20
Beaver Head	9S6	8000	3/14	2	0.6	3.1	0.0	1.8	20
Taylor Creek	7S1	7850	3/13	0	0.0	0.0	0.0	0.3	15
Inman	7S2	7800	3/13	0	0.0	0.0	0.0	0.3**	11
Rose Canyon	10T2	7300	3/15	0	0.0	0.0	0.0	0.5**	13
Mogollon	8S2	7000	3/13	6	1.4	2.8	0.0	0.0**	8
<u>SALT RIVER</u>									
Ft. Apache*	9R5	9160	3/12	20	6.0	9.7	3.3	7.2**	10
Baldy*	9S1	9125	3/12	19	6.6	10.8	T	5.6**	11
Maverick Fork	9S2	9050	3/12	21	6.8	12.6	T	8.0**	10
Nutrioso	9S4	8500	3/14	2	0.6	0.7	0.0	1.2	20
Coronado Trail	9S7	8000	3/14	1	0.3	1.3	0.0	1.9	20
Beaver Head	9S6	8000	3/14	2	0.6	3.1	0.0	1.8	20
Pacheta	9S5	7800	3/14	0	0.0	4.8	0.0	1.7**	10
Gentry	10R5	7600	3/12	2	0.8	5.4	T	1.4**	9
Heber	10R4	7600	3/12	3	1.1	6.3	T	1.5**	11
Canyon Creek #2	10R7-M	7500	3/12	5	1.5	7.1	T	---	3
McNary	9R2-M	7200	3/14	0	0.0	2.4	0.0	1.3	21
Milk Ranch	9R1	7000	3/14	0	0.0	0.7	0.0	0.6	20
Workman Creek	10S1	6900	3/10	3	1.5	5.6	0.0	2.5	9
Forest Dale	10R6	6430	3/14	0	0.0	0.0	0.0	0.4**	21
<u>VERDE RIVER</u>									
Snow Bowl	11P4	10260	3/12	15	3.9	---	---	---	0
Happy Jack	11P5	7630	3/14	2	0.8	T	0.0	2.1**	8
Gaddes Canyon	12F4	7600	3/14	3	0.9	8.7	4.1	1.8**	7
Mormon Mountain	11R3-M	7500	3/11	5	1.6	8.2	T	3.5**	11
Mormon Lake*	11R4	7250	3/11	5	1.8	5.8	T	4.1**	13
Fort Valley*	11P2	7350	3/14	0	0.0	2.5	0.2	1.9**	14
Mingus Mountain	12R3	7100	3/14	0	0.0	0.0	0.0	0.7**	13
Chalender	12P1-M	7100	3/14	T	T	3.9	1.1	2.5**	14
Casner Park	11R2-M	6930	3/11	2	0.8	6.7	0.0	1.4**	11
Munds Park	11R1-M	6500	3/11	0	0.0	3.4	0.0	1.0**	11
Iron Springs*	12R2	6200	3/11	0	0.0	0.0	0.0	0.7**	15
Camp Wood	12R1	5700	3/14	0	0.0	0.0	0.0	0.4**	15

*On Adjacent Drainage.

**Average is for less than 15 years of record in the base period.




ARIZONA SNOW SURVEYS - ABOUT MARCH 15, 1961

SUB-WATERSHED and SNOW COURSE		No.	Elev.	SNOW COVER MEASUREMENTS					Prior Yrs. of Record	
				Date of Survey	Snow Depth (In.)	Water Content (In.)	1961		Water Content (In.)	
							1960	1959	1943-57	
<u>WILLIAMS RIVER</u>										
Iron Springs	12R2	6200	11		0	0.0	0.0	0.0	0.7**	15
Camp Wood*	12R1	5700	14		0	0.0	0.0	0.0	0.4**	15
Willow Ranch	13P1	5000	14		0	0.0	0.0	---	0.1**	8
<u>LOWER COLORADO RIVER</u>										
Bright Angel	12N1	8400	---	---	---	---	---	---	10.4**	11
Grand Canyon	11P1	7500	14		0	0.0	1.6	0.0	1.5**	14
Fort Valley	11P2	7350	14		0	0.0	2.5	0.2	1.9**	14
Chalender*	12P1-M	7100	14		T	T	3.9	1.1	2.5**	14
<u>LITTLE COLORADO RIVER</u>										
Ft. Apache	9R5	9160	12	20	6.0	9.7	3.3	7.2**	10	
Baldy	9S1	9125	12	19	6.6	10.8	T	5.6**	11	
Nutrioso	9S4	8500	14	2	0.6	0.7	0.0	1.2	20	
Happy Jack*	11R5	7630	14	2	0.8	T	0.0	2.1**	8	
Gentry	10R5	7600	12	2	0.8	5.4	T	1.4**	9	
Heber	10R4	7600	12	3	1.1	6.3	T	1.5**	11	
Canyon Creek #2	10R7-M	7500	12	5	1.5	7.1	T	---	3	
Mormon Mountain	11R3-M	7500	11	5	1.6	8.2	T	3.5**	11	
Mormon Lake	11R4	7350	11	6	1.8	5.8	T	4.1**	13	
Fort Valley	11P2	7350	14	0	0.0	2.5	0.2	1.9**	14	
McNary	9R2-M	7200	14	0	0.0	2.4	0.0	1.3	21	
Forest Dale	10R6	6430	14	0	0.0	0.0	0.0	0.4	21	

*On Adjacent Drainage.

**Average is for less than 15 years of record in the base period.



PRECIPITATION AT SELECTED ARIZONA STATIONS

STATION	Precipitation (Inches)			
	February - 1961		Current Water-Year (Oct. 1960 - Feb. 1961)	
	Total	Departure from long term mean	Total	Departure from long term mean
Ash Fork	.01	- 1.18	----	----
Clifton	0	- .90	5.10	+ 1.03
Douglas Smelter	.04	- .60	1.67	- 1.44
Flagstaff WBAS*	.12	- 1.62	6.50	- 1.14
Grand Canyon Hq.	.30	- 1.28	6.75	+ .67
Parker	0	- .69	.73	- 1.67
Payson Ranger Station	.06	- 2.15	5.75	- 2.93
Phoenix WBAS*	.01	- .78	.98	- 2.25
Prescott WBAS*	.02	- 1.31	3.21	- 1.89
Springerville	.10	- .45	4.09	+ 1.24
Tucson WBAS*	.01	- .91	2.67	- 1.05
Winslow WBAS*	.40	- .07	3.24	+ .89
Yuma WBAS*	T	- .29	.36	- 1.27

*WBAS = Weather Bureau Airport Station

l Data and Analysis furnished by Paul C. Kangieser,
Arizona State Climatologist, U. S. Weather Bureau,
Phoenix, Arizona



LIST OF SNOW SURVEYORS

<u>SNOW COURSE</u>	<u>SURVEYOR</u>
Baldy -----	SCS and SRVWUA
Bear Wallow -----	Forest Service - Angus Porter
Beaver Head -----	N. A. Josh
Bright Angel -----	National Park Service
Camp Wood -----	Mrs. C. C. Merritt
Canyon Creek #2 -----	SCS and SRVWUA
Gasner Park -----	SCS and SRVWUA
Chalender -----	Forest Service - MacIntyre
Coronado Trail -----	Forest Service - Bill Brainard
Forest Dale -----	Fort Apache Reservation - Boyer and Endfield
Frisco Divide -----	Forest Service - Joe Clayton
Ft. Apache -----	SCS and SRVWUA
Fort Valley -----	Rocky Mountain Forest & Range Experiment Station
Gaddes Canyon -----	SCS - Bill Gray
Gentry -----	SCS and SRVWUA
Grand Canyon -----	National Park Service - Robt. Heyder
Happy Jack -----	Emil O. Ryberg
Heber -----	SCS and SRVWUA
Ice King -----	James R. Wray
Inman -----	C. H. McCauley
Iron Springs -----	Ernest Saxby
McNary -----	Fort Apache Reservation - Boyer and Endfield
Maverick Fork -----	SCS and SRVWUA
Milk Ranch -----	Fort Apache Reservation - Boyer and Endfield
Mingus Mountain ----	SCS - Bill Gray
Mcgollon -----	James R. Wray
Mormon Lake -----	SCS and SRVWUA
Mormon Mountain ----	SCS and SRVWUA
Munds Park -----	SCS and SRVWUA
Nutrioso -----	Forest Service - Bill Brainard
Pacheta -----	Foch Phillips
Redstone Trail ----	James R. Wray
Rose Canyon -----	Forest Service - Angus Porter
Snow Bowl -----	Forest Service - Jay Shoemaker
State Line -----	Forest Service - Joe Clayton
Taylor Creek -----	C. H. McCauley
Willow Ranch -----	Tiny Miller
Workman Creek -----	Rocky Mountain Forest & Range Experiment Station



The Following Organizations Cooperate in the Arizona Snow Survey Work

FEDERAL

Department of Agriculture

Soil Conservation Service

Forest Service

Apache Forest

Coconino Forest

Coronado Forest

Gila Forest

Kaibab Forest

Prescott Forest

Rocky Mountain Forest and Range Experiment Station

Department of Commerce

Weather Bureau

Arizona Section

Department of Interior

Bureau of Reclamation

Region III

Geological Survey

Arizona District

Bureau of Indian Affairs

Fort Apache Reservation

National Park Service

Grand Canyon National Park

Gila Water Commissioner

Safford, Arizona

STATE

Arizona Agricultural Experiment Station

IRRIGATION PROJECTS

Salt River Valley Water Users' Association

Phoenix, Arizona

San Carlos Irrigation and Drainage District

Coolidge, Arizona

PRIVATE

Southwest Lumber Mills, Inc.

McNary, Arizona

Other organizations and individuals furnish valuable information for the snow survey reports. Their cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
P. O. Box 929
PHOENIX, ARIZONA

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

FIRST CLASS MAIL

Federal - State - Private
COOPERATIVE SNOW SURVEYS

Furnishes the basic data
necessary for forecasting
water supply for irrigation,
domestic and municipal water
supply, hydro-electric power
generation, navigation,
mining and industry

*"The Conservation of Water begins
with the Snow Survey"*